| POPULATION ESTIMATES | LONG-TERM CARE | LOCAL HEALTH DEPARTMENTS |
|---------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| Total 2001 Population | Community Options and MA Waiver Programs Clients Costs COP 322 \$1,432,208 MA Waiver * CIP1A 33 \$2,072,575 CIP1B 375 \$8,523,797 CIP2 252 \$2,554,403 COP-W 137 \$1,705,301 CSLA 52 \$127,683 Brain Injury 10 \$588,226 Total COP/Wvrs 985 \$17,004,193 \$849,523 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs. * Waiver costs reported here | |
| 0-17 | Clients Costs Eligible and Waiting 313 n/a | Restaurants 349 |
| Poverty Estimates for 2000 Estimate (C.I.+/- All ages 11,156 49 7.3% (4%) Ages 0-17 3,850 25 9.5% (7%) | Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available. | Number Pregnant/Postpartum |
| Note: based on place of work | Home Health Agencies 3 Patients 1,593 Patients per 10,000 pop. 103 | Primary Site |

| | | | NATA | ITTY | | | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|--------------------------------|
| TOTAL LIVE BIRTHS | | 2 028 | Birth Order | Rirths | Percent | Marital Status | | |
| I TOTAL LIVE BIRTHS | | 2,020 | | | 38 | of Mother | Births | Percent |
| Crude Live Birth Rate | ے | 13 2 | First Second | 707 | 35 | | 1,291 | 64 |
| General Fertility Rat | - | 61 9 | Third | 358 | 18 | Not married | 737 | 36 |
| i delicial restricty Nat | LC | 01.9 | Fourth or higher | 330 | 10 | Unknown | 737 | 90 |
| live hirths with rene | ortod | | Third Fourth or higher Unknown | 200 | 18 10 0 | UIIKIIOWII | U | U |
| Live births with repo | Ji Leu | г 1 70/ | UTIKTIOWIT | 9 | в | Education | | |
| i congenital anomalies | 3 | 5 1./% | First Daniels | | | Education | D | D + |
| D. D. T | D : | | First Prenatal | D : | 5 | | Births | Percent |
| Delivery Type | Births | Percent | Visit | Births | Percent | Elementary or les | 5 6/ | 3 |
| Vaginal after | | _ | 1st trimester | 1,/45 | 86 | Some high school | 379 | 19 |
| previous cesarean | 38 | 2 | 2nd trimester | 234 | 12 | High school Some college | 697 | 34 |
| Forceps | 49 | 2 | 2nd trimester 3rd trimester No visits Unknown | 33 | 2 | Some college | 450 | 22 |
| Other vaginal | 1,447 | 71 | No visits | 7 | < . 5 | College graduate | 410 | 20 |
| Primary cesarean | 278 | 14 | Unknown | 9 | < . 5 | Unknown | 25 | 1 |
| Repeat cesarean | 216 | 11 | | | | | | |
| vaginal after previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean Other or unknown | Θ | Θ | Number of Prenatal | | | Smoking Status | | |
| 1 | | | Care visits | Births | Percent | of Mother | Births | Percent |
| Birthweight | Births | Percent | No visits | 7 | < . 5 | Smoker | 408 | 20 |
| <1.500 gm | 31 | 1.5 | 1-4 | 33 | 12 | Nonsmoker | 1.620 | 80 |
| 1 1 500-2 499 gm | 122 | 6.0 | _ · 5 - 9 | 236 | 12 | Unknown | -, 0 | 0 |
| 1 2 500+ gm | 1 875 | 92 5 | No visits 1-4 5-9 10-12 | 1 139 | 56 | • · · · · · · · · · · · · · · · · · · · | ŭ | ŭ |
| <pre>1,500 gm 1,500-2,499 gm 2,500+ gm Unknown</pre> | 1,0/5 | 0 | 13+ | 604 | 30 | | | |
| I OTIKITOWIT | Ū | Ū | 13+ Unknown | 4 | <.5 | | | |
| İ | | | | | | | | [|
| | | | | | | | | |
| İ | | | Low Birthweight | | Trimest | er of First Prenatal | Visit | • |
| i i | | | Low Birthweight (under 2,500 gm) | 1st Tr | Trimest imester | er of First Prenatal 2nd Trimester | Visit Other/ | Unknown |
| Race of Mother | Births P | 'ercent | Low Birthweight (under 2,500 gm) Births Percent | 1st Tr Births | Trimest imester Percent | er of First Prenatal 2nd Trimester Births Percent | Visit Other/ Births | Percent |
| Race of Mother White | Births P 1,845 | ercent 91 | Low Birthweight (under 2,500 gm) Births Percent 134 7.3 | 1st Tr Births 1,594 | Trimest imester Percent 86 | er of First Prenatal 2nd Trimester Births Percent 210 11 | Visit Other/ Births 41 | Percent 2 |
| Race of Mother White Black | Births P 1,845 131 | ercent 91 6 | Low Birthweight (under 2,500 gm) Births Percent 134 7.3 16 12.2 | 1st Tr Births 1,594 113 | Trimest imester Percent 86 86 | er of First Prenatal 2nd Trimester Births Percent 210 11 13 10 | Visit Other/ Births 41 5 | Percent 2 4 |
| Race of Mother White Black Other | Births P 1,845 131 51 | Percent 91 6 3 | Low Birthweight (under 2,500 gm) Births Percent 134 7.3 16 12.2 3 5.9 | 1st Tr Births 1,594 113 37 | Trimest imester Percent 86 86 73 | er of First Prenatal 2nd Trimester Births Percent 210 11 13 10 11 22 | Visit Other/ Births 41 5 | Percent 2 4 6 |
| Race of Mother White Black Other Unknown | Births P 1,845 131 51 1 | Percent 91 6 3 <.5 | Low Birthweight (under 2,500 gm) Births Percent 134 7.3 16 12.2 3 5.9 * | 1st Tr Births 1,594 113 37 | Trimest imester Percent 86 86 73 | er of First Prenatal 2nd Trimester Births Percent 210 11 13 10 11 22 | Visit Other/ Births 41 5 3 | Percent 2 4 6 |
| Race of Mother White Black Uhknown | Births P 1,845 131 51 1 | Percent 91 6 3 <.5 | Births Percent 134 7.3 16 12.2 3 5.9 * . | Births 1,594 113 37 * | Percent 86 86 73 | Births Percent 210 11 13 10 11 22 * . | Births 41 5 3 * | Percent 2 4 6 |
| Race of Mother White Black Other Unknown | | | Births Percent 134 7.3 16 12.2 3 5.9 * . | Births 1,594 113 37 * | Percent 86 86 73 | Births Percent 210 11 13 10 11 22 * . | Births 41 5 3 * | Percent 2 4 6 |
| | Fe | rtility | Births Percent 134 7.3 16 12.2 3 5.9 * . | Births 1,594 113 37 * | Percent 86 86 73 | Births Percent 210 11 13 10 11 22 * . | Births 41 5 3 * | Percent 2 4 6 |
| Age of Mother | Fe Births | ertility Rate | Births Percent 134 7.3 16 12.2 3 5.9 * . | Births 1,594 113 37 * | Percent 86 86 73 | Births Percent 210 11 13 10 11 22 * . | Births 41 5 3 * | Percent 2 4 6 |
| Age of Mother <15 | Fe Births 3 | ertility Rate | Births Percent 134 7.3 16 12.2 3 5.9 * Low Birthweight (under 2,500 gm) Births Percent * | Births 1,594 113 37 * 1st Tr Births * | Percent 86 86 73 Trimest imester Percent | Births Percent 210 11 13 10 11 22 * * ter of First Prenatal 2nd Trimester Births Percent * | Births 41 5 3 * Visit Other/ Births * | Percent 2 4 6 Unknown Percent |
| Age of Mother <15 15-17 | Fe Births 3 77 | ertility Rate 23 | Births Percent 134 7.3 16 12.2 3 5.9 * Low Birthweight (under 2,500 gm) Births Percent * 8 10.4 | Births 1,594 113 37 * 1st Tr Births * 58 | Percent 86 86 73 Trimest imester Percent 75 | Births Percent 210 11 13 10 11 22 * * | Births 41 5 3 * Visit Other/ Births 4 | Percent 2 4 6 |
| Age of Mother <15 15-17 18-19 | Fe Births 3 77 193 | rtility Rate 23 95 | Births Percent 134 7.3 16 12.2 3 5.9 * | Births 1,594 113 37 * 1st Tr Births * 58 144 | Percent 86 86 73 . Trimest imester Percent . 75 75 | Births Percent 210 11 13 10 11 22 * * ter of First Prenatal 2nd Trimester Births Percent * 15 19 41 21 | Births 41 5 3 * Visit Other/ Births 4 | Percent 2 4 6 |
| Age of Mother <15 15-17 18-19 20-24 | Fe Births 3 77 193 518 | ertility Rate 23 95 118 | Births Percent 134 7.3 16 12.2 3 5.9 * | Births 1,594 113 37 * 1st Tr Births * 58 144 426 | Percent 86 86 73 Trimest imester Percent 75 75 82 | Births Percent 210 11 13 10 11 22 * * ter of First Prenatal 2nd Trimester Births Percent * 15 19 41 21 75 14 | Births 41 5 3 * Visit Other/ Births * 4 8 | Percent 2 4 6 |
| Age of Mother <15 15-17 18-19 20-24 25-29 | Fe Births 3 77 193 518 595 | Rate 23 95 118 121 | Births Percent 134 7.3 16 12.2 3 5.9 * Low Birthweight (under 2,500 gm) Births Percent * 8 10.4 14 7.3 44 8.5 51 8.6 | Births 1,594 113 37 * 1st Tr Births * 58 144 426 533 | Percent 86 86 73 Trimest imester Percent 75 75 82 90 | Births Percent 210 11 13 10 11 22 * * ter of First Prenatal 2nd Trimester Births Percent * 15 19 41 21 75 14 49 8 | Births 41 5 3 * Visit Other/ Births * 4 8 17 | Percent 2 4 6 |
| Age of Mother <15 15-17 18-19 20-24 25-29 30-34 | Fe Births 3 77 193 518 595 439 | Rate 23 95 118 121 80 | Births Percent 134 7.3 16 12.2 3 5.9 * * Low Birthweight (under 2,500 gm) Births Percent * 8 10.4 14 7.3 44 8.5 51 8.6 23 5.2 | Births 1,594 113 37 * | Percent 86 86 73 Trimest imester Percent 75 75 82 90 90 | Births Percent 210 11 13 10 11 22 * * ter of First Prenatal 2nd Trimester Births Percent * 15 19 41 21 75 14 49 8 42 10 | Births 41 5 3 * Visit Other/ Births 4 8 17 13 | Percent 2 4 6 |
| Age of Mother <pre> </pre> <pre> </pre> <pre> Age of Mother <pre> <pre> </pre> <pre> <pre> </pre> <pre> <pre> </pre> <pre> <pre> </pre> <pre> <pre> </pre> <pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre> | Fe Births 3 77 193 518 595 439 175 | Rate 23 95 118 121 80 28 | Births Percent 134 7.3 16 12.2 3 5.9 * * Low Birthweight (under 2,500 gm) Births Percent * 8 10.4 14 7.3 44 8.5 51 8.6 23 5.2 11 6.3 | Births 1,594 113 37 * | Percent 86 86 73 Trimest imester Percent 75 75 75 82 90 90 93 | Births Percent 210 11 13 10 11 22 * * ter of First Prenatal 2nd Trimester Births Percent * 15 19 41 21 75 14 49 8 42 10 11 6 | Births 41 5 3 * Visit Other/ Births * 4 8 17 13 3 | Percent 2 4 6 |
| Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ | Fe Births 3 77 193 518 595 439 175 28 | Rate 23 95 118 121 80 28 4 | Births Percent 134 7.3 16 12.2 3 5.9 * Low Birthweight (under 2,500 gm) Births Percent * 8 10.4 14 7.3 44 8.5 51 8.6 23 5.2 11 6.3 2 7.1 | Births 1,594 113 37 * | Percent 86 86 73 Trimest imester Percent 75 75 75 82 90 90 93 93 | Births Percent 210 11 13 10 11 22 * * | Births 41 5 3 * Visit Other/ Births 4 8 17 13 | Percent 2 4 6 |
| Age of Mother <pre> </pre> <pre> </pre> <pre> Age of Mother <pre> <pre> </pre> <pre> <pre> </pre> <pre> <pre> </pre> <pre> <pre> </pre> <pre> <pre> </pre> <pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre> | Fe Births 3 77 193 518 595 439 175 | Rate 23 95 118 121 80 28 | Births Percent 134 7.3 16 12.2 3 5.9 * * Low Birthweight (under 2,500 gm) Births Percent * 8 10.4 14 7.3 44 8.5 51 8.6 23 5.2 11 6.3 | Births 1,594 113 37 * | Percent 86 86 73 Trimest imester Percent 75 75 75 82 90 90 93 | Births Percent 210 11 13 10 11 22 * * ter of First Prenatal 2nd Trimester Births Percent * 15 19 41 21 75 14 49 8 42 10 11 6 | Births 41 5 3 * Visit Other/ Births * 4 8 17 13 3 | Percent 2 4 6 |

| MORBIDITY | | | MO F | RTALITY | | | |
|-------------------------------------------------------------|-----------------------------------------------------------------------|-----------------------------------------|--------|-----------------------------------------------------------|-------------------|--|--|
| T. T. T. T. T. T. T. T. T. T. T. T. T. T | Note: Death rates (except infant) are per 100,000 population. Infant, | | | | | | |
| İ | neonatal, and postneonatal death rates are per 1,000 live births. | | | | | | |
| REPORTED* CASES OF SELECTED DISEASES | Perinatal and fetal death rates are per 1,000 live births plus | | | | | | |
| | fetal deaths. Rates are not calculated for fewer than 20 deaths. | | | | | | |
| † | Tetal acachs. Nates are not calculated for remer than 20 acachs. | | | | | | |
| Disease Number | TOTAL DEATHS | | 1,336 | Selected | i | | |
| Campylobacter Enteritis 45 | TOTAL DEATHS Crude Death Ra | ate | 868 | Underlying Cause | Deaths Rate | | |
| Giardiasis 34 | l Crade Beach No | 4 | 000 | Heart Disease (total) | 342 222 | | |
| Hepatitis Type A <5 | i | | | Ischemic heart disease | e 225 146 i | | |
| Hepatitis Type B** 6 | l Age | Deaths | Rate | Cancer (total) | 324 210 | | |
| Hepatitis NANB/C 98 | 1 1-4 | 2 | | Trachea/Bronchus/Lung | | | |
| Legionnaire's 0 | 5-14 | 4 | | | | | |
| Lyme <5 | i 15-19 | 9 | • | Colorectal Female Breast | 29 37* | | |
| Measles 0 | 1 20-34 | 32 | | Cerebrovascular Disease | e 83 54 I | | |
| Meningitis, Aseptic <5 | 35-54 | 108 | 235 | l Lower Resp. Disease | | | |
| Meningitis, Bacterial 0 | 55-64 | 137 | | Lower Resp. Disease Pneumonia & Influenza | 51 33 | | |
| Mumps 0 | i 65-7/ | 7/18 | 2,409 | Accidents | 46 30 | | |
| Pertussis <5 | 75-84 | 409 | 6,097 | Motor vehicle | 27 18 | | |
| Salmonellosis 25 | i 85+ | 374 | 14,517 | Diabetes | 28 18 | | |
| Shigellosis 5 | | • • • • • • • • • • • • • • • • • • • • | , , , | Infectious & Parasitic | 18 . i | | |
| Tuberculosis <5 | | | | Suicide | 22 14 i | | |
| | İ Infant | | | | i | | |
| * 2001 provisional data | Mortality | Deaths | Rate | * Rate for female breas | st cancer based İ | | |
| ** Includes all positive HBsAg | i Total Infant | 13 | | j on female popula | | | |
| test results | Neonatal | 10 | | i · · | İ | | |
| | Postneonatal | 3 | | ALCOHOL AND DRUG ABUSE | | | |
| | Infant Mortality Total Infant Neonatal Postneonatal Unknown | | | OR CONTRIBUTING CAUS | SE OF DEATH | | |
| Sexually Transmitted Disease | | | | | I | | |
| Chlamydia Trachomatis 503 | Race of Mother | | | Alcohol | 18 . | | |
| Genital Herpes 53 | White | 10 | | Alcohol Other Drugs Both Mentioned | 15 . | | |
| Gonorrhea 178 | Black | 2 | | Both Mentioned | 1 . | | |
| Syphilis <5 | Other | 1 | | | | | |
| | Unknown | • | | MOTOR VEHICL | E CRASHES ḷ | | |
| ļ | l Bialla airte | | | Notice There are deliced as | | | |
| TMMUNIT 7 A TT ON C | Birthweight | F | | Note: These data are | | | |
| IMMUNIZATIONS | <1,500 gm | 5 | • | of crash, not o | n residence. | | |
| Children in Conden I/ 12 ho | 1,500-2,499 gm | 3 | • | T of Matau | D | | |
| Children in Grades K-12 by | <pre>1</pre> | 5 | • | Type of Motor Vehicle Crash Total Crashes Alcohol-Related | Persons Persons | | |
| Compliance Level | I UNKNOWN | | • | venicle crash | injured Killed | | |
| Compliant 28,713 | | | | Total Crasnes | 1,686 24 | | |
| Compliant 28,713 Non-compliant 1,045 Percent Compliant 96.5 | Porinatal | | | Alconol-Related | 231 9 | | |
| Tercent compitant 30.3 | Perinatal Mortality | Deaths | Rate | With Citation: For OWI | 7 0 I | | |
| | Multality Total Porinatal | υ Ե α ΕΠ5 17 | Nate | TOI UWI | 7 0 1 | | |
| | l Neonatal | 1 / 1 A | • | Motorcyclist | 65 1 | | |
| | Total Perinatal Neonatal Fetal | 7 | • | For Speeding Motorcyclist Bicyclist | 37 1 1 | | |
| | l iccar | , | • | Pedestrian | | | |
| 1 | I | | | 1 Cacser rain | | | |

Per Average Charge | Per Average Charge | DISEASE / 1,000 Stay Average Per | DISEASE / 1,000 Stay Average Per AGE GROUP Number Pop (Days) Charge Capita | AGE GROUP Number Pop (Days) Charge Capita Charge Alcohol-Related Injury-Related: All Total 1,357 8.8 4.9 \$15,916 <18 120 2.9 2.9 \$11,731 18-44 387 6.6 4.2 \$14,941 45-64 342 10.0 5.0 \$16,886 65+ 508 25.9 5.9 \$16,996 Total 702 4.6 2.6 \$2,982 18-44 417 7.1 2.3 \$2,260 45-64 233 6.8 3.2 \$3,949 \$140 \$14 \$35 \$16 \$98 \$27 Pneumonia and Influenza
Total 481 3.1 5.8 \$11,696
<18 48 1.2 4.0 \$8,494
45-64 90 2.6 5.6 \$12,591
65+ 304 15.5 6.2 \$11,445 \$168 \$37 \$441 Injury: Hip Fracture \$10 Total 149 1.0 6.0 \$18,909 65+ 137 7.0 6.1 \$19,061 \$18 \$33 \$133 \$178 Injury: Poisonings
Total 106 0.7 2.0 \$6,144 \$4
18-44 63 1.1 2.0 \$6,195 \$7 Total 412 2.7 5.3 \$14,675 45-64 100 2.9 6.1 \$18,634 65+ 286 14.6 5.0 \$12,918 \$39 \$54 \$189 Chronic Obstructive Pulmonary Disease Psychiatric

 sychiatric

 Total
 1,171
 7.6
 7.5
 \$6,769

 <18</td>
 199
 4.9
 9.6
 \$11,265

 18-44
 621
 10.5
 5.6
 \$4,432

 45-64
 242
 7.0
 9.1
 \$7,476

 65+
 109
 5.6
 11.0
 \$10,300

 Total 446 2.9 4.5 \$8,279 \$
<18 54 1.3 2.1 \$2,869
18-44 52 0.9 3.6 \$6,653
45-64 125 3.6 4.1 \$7,358 \$
65+ 215 11.0 5.5 \$10,566 \$1

Drug-Related
Total 170 1.1 3.9 \$3,468
18-44 133 2.3 3.3 \$2,596 \$51 \$24 \$4 \$55 \$47 \$6 \$53 \$27 \$57 \$116 Coronary Heart Disease \$4 Total 841 5.5 4.7 \$23,588 45-64 324 9.4 3.9 \$23,174 65+ 480 24.5 5.5 \$24,369 \$129 \$6 \$219 Total Hospitalizations \$597 Total 18,283 118.7 4.3 \$10,474 \$1,244 <18 3,185 78.2 3.2 \$4,993 \$390 \$86 | 18-44 5,466 92.5 3.2 \$7,392 \$684 \$20 | 45-64 3,851 112.1 4.8 \$13,613 \$1,526 \$152 | 65+ 5,781 295.3 5.8 \$14,317 \$4,227 Malignant Neoplasms (Cancers): All Total 677 4.4 6.1 \$19,456 18-44 73 1.2 4.5 \$15,959 45-64 261 7.6 5.8 \$20,055 65+ 335 17.1 6.8 \$19,515 \$334 ----- PREVENTABLE HOSPITALIZATIONS* ------Neoplasms: Female Breast (rates for female population) | Total 2,071 13.4 4.9 \$9,879 \$133 <18 225 5.5 2.5 \$4,332 \$24 18-44 275 4.7 4.4 \$9,671 \$45 45-64 447 13.0 4.7 \$10,588 \$138 65+ 1,124 57.4 5.5 \$10,758 \$618 Total 66 0.8 2.2 \$9,473 \$8 Neoplasms: Colo-rectal Total 89 0.6 7.7 \$22,078 65+ 49 2.5 8.3 \$23,241 \$13 \$58 Neoplasms: Lung Total 78 0.5 8.5 \$24,686 * Hospitalizations for conditions where timely and effective | ambulatory care can reduce the likelihood of hospitalization. \$13 The definition of preventable hospitalizations in 2001 Diabetes Total 219 1.4 4.7 \$11,369 \$16 65+ 68 3.5 5.7 \$11,463 \$40 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.